

Dimensiunile geometrice si greutatea liniara a tevilor feritice si martensitice din oteluri inoxidabile fara sudura (DIN 2462)

Diam. ext. [mm]			Greutatea liniara [kg/m] (densitatea 7730 kg/m ³)											
seria 1.	seria 2.	seria 3.	1	1.2	1.6	2	2.3	2.6	2.9	3.2	3.6	4	4.5	5
	6		0.121	0.140										
	8		0.170	0.198										
	10		0.219	0.256										
10.2			0.224	0.262	0.334	0.398								
	12		0.267		0.404	0.486								
13.5			0.303	0.359	0.463	0.558	0.625		0.747					
		14	0.316		0.482	0.583								
	16		0.364	0.431	0.559	0.681								
17.2			0.394		0.607	0.739	0.832			1.08				
		18	0.413		0.657	0.777								
	19		0.437	0.519	0.697	0.825								
	20		0.462	0.548	0.737	0.875		1.10						
21.3			0.493		0.789	0.938		1.18		1.41		1.68		
		22	0.510			0.971								
	25		0.583	0.693	0.937	1.11		1.42		1.69				
		25.4		0.705	0.953	1.13		1.44						
26.9			0.629		1.01	1.21		1.54	1.69	1.84		2.23		
		30			1.14	1.36		1.73		2.08				
	31.8			0.892	1.21	1.45		1.84		2.23		2.70		
	32			0.897		1.46								
33.7			0.794	0.948	1.29	1.54	1.75	1.96		2.37	2.71		3.19	
		35		0.985		1.61								
	38			1.17	1.46	1.75		2.24		2.71				
	40			1.13	1.50			2.36						
42.4					1.59	1.96		2.51		3.04	3.39			4.54
		44.5				2.07		2.65	2.94					
48.3					1.81	2.25		2.89		3.51	3.91			5.42
	51		1.21	1.45	1.92	2.38		3.05		3.71				
		54			2.04	2.52		3.25						
	57				2.16	2.67			3.81					
60.3					2.29	2.84	3.24	3.64	4.05	4.44	4.95	5.47	6.28	
	63.5				2.40	2.98		3.84		4.69				
	70				2.66	3.30			4.73					
76.1					2.90	3.60	4.13	4.64	5.16		6.34	7.00		8.64
		82.5				4.91				6.17				
88.9					3.39	4.23	4.84	5.45	6.06	6.66	7.46	8.25		
	101.6					4.84			6.95			9.49		