

CATALOG REDUCȚII CONCENTRICE INOX

Dimensiuni în mm		Dimensiuni în țoli			S1	S2	h	Tip	+/-Kg/buc.
D1	D2	D1	D2						
21.30	17.20				2.00	2.00	12.3	B	0.02
21.34	17.15	1/2"	3/8"	Sch 10 S*	2.11	1.65	50.8	A	0.03
26.67	21.34	3/4"	1/2"	Sch 10 S*	2.11	2.11	38.1	A	0.04
26.67	21.34	3/4"	1/2"	Sch 40 S STD*	2.87	2.77	38.1	A	0.06
26.67	21.34	3/4"	1/2"	Sch 80 S XS*	3.91	3.73	38.1	A	0.08
26.67	21.34	3/4"	1/2"	Sch 160*	5.54	4.75	38.1	A	0.15
26.90	21.30				2.00	2.00	16.8	B	0.02
28.00	18.00				1.50	1.50	30.0	B/D	0.02
33.40	21.34	1"	1/2"	Sch 10 S*	2.77	2.11	50.8	A	0.09
33.40	21.34	1"	1/2"	Sch 40 S STD*	3.38	2.77	50.8	A	0.11
33.40	21.34	1"	1/2"	Sch 80 S X*S	4.55	3.37	50.8	A	0.13
33.40	21.34	1"	1/2"	Sch 160*	6.35	4.75	50.8	A	0.22
33.40	26.67	1"	3/4"	Sch 10 S*	2.77	2.11	50.8	A	0.10
33.40	26.67	1"	3/4"	Sch 40 S STD*	3.38	2.87	50.8	A	0.12
33.40	26.67	1"	3/4"	Sch 80 S XS*	4.55	3.91	50.8	A	0.15
33.40	26.67	1"	3/4"	Sch 160*	6.35	5.54	50.8	A	0.22
33.70	21.30				2.00	2.00	37.3	B	0.5
33.70	26.90				2.00	2.00	20.4	B	0.03
38.10	25.40				1.50	1.50	97.0	B/D	0.02
40.00	28.00				1.50	1.50	102.0	B/D	0.03
42.16	21.34	1.1/4"	1/2"	Sch 40 S STD*	3.56	2.77	50.8	A	0.13
42.16	21.34	1.1/4"	1/2"	Sch 80 S*	4.85	3.73	50.8	A	0.17
42.16	26.67	1.1/4"	3/4"	Sch 10 S*	2.77	2.11	50.8	A	0.11
42.16	26.67	1.1/4"	3/4"	Sch 40 S STD*	3.56	2.87	50.8	A	0.14
42.16	33.40	1.1/4"	1"	Sch 10 S*	2.77	2.77	50.8	A	0.12
42.16	33.40	1.1/4"	1"	Sch 40 S STD*	3.56	3.38	50.8	A	0.16
42.16	33.40	1.1/4"	1"	Sch 80 S XS*	4.85	4.55	50.8	A	0.21
42.40	33.70				2.00	2.00	26.1	B	0.07
44.00	29.00				2.00	2.00	45.0	B	0.05
48.26	21.34	1.1/2"	1/2"	Sch 10 S*	2.77	2.11	63.5	A	0.14
48.26	21.34	1.1/2"	1/2"	Sch 40 S ST*D	3.68	2.77	63.5	A	0.18
48.26	21.34	1.1/2"	1/2"	Sch 80 S X*S	5.08	3.73	63.5	A	0.24
48.26	26.67	1.1/2"	3/4"	Sch 10 S*	2.77	2.11	63.5	A	0.15
48.26	26.67	1.1/2"	3/4"	Sch 40 S ST*D	3.68	2.87	63.5	A	0.20
48.26	26.67	1.1/2"	3/4"	Sch 80 S X*S	5.08	3.91	63.5	A	0.27
48.26	33.40	1.1/2"	1"	Sch 10 S*	2.77	2.77	63.5	A	0.17
48.26	33.40	1.1/2"	1"	Sch 40 S STD*	3.68	3.38	63.5	A	0.22
48.26	33.40	1.1/2"	1"	Sch 80 S XS*	5.08	4.55	63.5	A	0.29
48.26	42.16	1.1/2"	1.1/4"	Sch 10 S*	2.77	2.77	63.5	A	0.18
48.26	42.16	1.1/2"	1.1/4"	Sch 40 S STD*	3.68	3.56	63.5	A	0.24
48.26	42.16	1.1/2"	1.1/4"	Sch 80 S XS*	5.08	4.85	63.5	A	0.32
48.30	33.70				2.00	2.00	43.8	B	0.09

48.30	42.40				2.00	2.00	17.7	B	0.04
50.80	25.40				1.50	1.50	115.0	B/D	0.1
50.80	38.10				1.50	1.50	97.0	B/D	0.12
52.00	28.00				1.50	1.50	130.0	B/D	0.07
52.00	40.00				1.50	1.50	113.0	B/D	0.09
54.00	30.00				2.00	2.00	60.0	B	0.12
54.00	34.00				2.00	2.00	72.0	B	0.11
54.00	44.00				2.00	2.00	30.0	B	0.07
60.30	21.330				2.00	2.00	117.0	B	0.23
60.30	33.70				2.00	2.00	79.8	B	0.19
60.30	42.40				2.00	2.00	53.7	B	0.14
60.30	48.30				2.00	2.00	35.0	B	0.10
60.33	21.34	2"	1/2"	Sch 10 S*	2.77	2.11	76.2	A	0.23
60.33	21.34	2"	1/2"	Sch 40 S STD*	3.91	2.77	76.2	A	0.28
60.33	26.67	2"	3/4"	Sch 10 S*	2.77	2.11	76.2	A	0.22
60.33	26.67	2"	3/4"	Sch 40 S STD*	3.91	2.87	76.2	A	0.30
60.33	26.67	2"	3/4"	Sch 80 S XS*	5.54	3.91	76.2	A	0.41
60.33	33.40	2"	1"	Sch 10 S*	2.77	2.77	76.2	A	0.23
60.33	33.40	2"	1"	Sch 40 S STD*	3.91	3.38	76.2	A	0.32
60.33	33.40	2"	1"	Sch 80 S XS*	5.54	4.55	76.2	A	0.44
60.33	33.40	2"	1"	Sch 160 *	8.71	6.35	76.2	A	0.94
60.33	42.16	2"	1.1/4"	Sch 10 S*	2.77	2.77	76.2	A	0.25
60.33	42.16	2"	1.1/4"	Sch 40 S STD*	3.91	3.56	76.2	A	0.35
60.33	42.16	2"	1.1/4"	Sch 80 S XS*	5.54	4.85	76.2	A	0.48
60.33	48.26	2"	1.1/2"	Sch 10 S*	2.77	2.77	76.2	A	0.27
60.33	48.26	2"	1.1/2"	Sch 40 S STD*	3.91	3.68	76.2	A	0.37
60.33	48.26	2"	1.1/2"	Sch 80 S XS*	5.54	5.08	76.2	A	0.51
63.50	38.10				1.50	1.50	65.0	B/D	0.09
63.50	50.80				1.50	1.50	97.0	B/D	0.13
69.00	54.00				2.00	2.00	45.0	B	0.13
70.00	40.00				1.50	1.50	117.0	B/D	0.15
70.00	52.00				1.50	1.50	135.0	B/D	0.15
73.03	33.40	2.1/2"	1"	Sch 10 S*	3.05	2.77	88.9	A	0.35
73.03	48.26	2.1/2"	1.1/2"	Sch 10 S*	3.05	2.77	88.9	A	0.39
73.03	48.26	2.1/2"	1.1/2"	Sch 40 S STD*	5.16	3.68	88.9	A	0.66
73.03	60.33	2.1/2"	2"	Sch 10 S*	3.05	2.77	88.9	A	0.43
73.03	60.33	2.1/2"	2"	Sch 40 S STD*	5.16	3.91	88.9	A	0.72
73.03	60.33	2.1/2"	2"	Sch 80 S XS*	7.01	5.54	88.9	A	0.92
76.10	33.70				2.00	2.00	127.2	B	0.26
76.10	38.10				1.50	1.50	132.0	B/D	0.26
76.10	42.40				2.00	2.00	101.1	B	0.26
76.10	42.40				2.50	2.50	101.1	B	0.39
76.10	48.30				2.00	2.00	83.4	B	0.26
76.10	48.30				3.00	3.00	83.4	B	0.35
76.10	50.80				1.50	1.50	115.0	B/D	0.26
76.10	60.30				2.00	2.00	47.4	B	0.16
76.10	60.30				3.00	3.00	47.4	B	0.24
76.10	63.50				1.50	1.50	97.0	B/D	0.16
84.00	44.50				2.00	2.00	120.0	B	0.45
84.00	54.00				2.00	2.00	90.0	B	0.30
84.00	69.00				2.00	2.00	45.0	B	0.17
88.90	33.40	3"	1"	Sch 10 S*	3.05	2.77	88.9	A	0.43
88.90	33.40	3"	1"	Sch 40 S STD*	5.49	3.38	88.9	A	0.74
88.90	33.40	3"	1"	Sch 80 S XS*	7.62	4.55	88.9	A	0.83
88.90	42.16	3"	1.1/4"	Sch 10 S*	3.05	2.77	88.9	A	0.40
88.90	48.26	3"	1.1/2"	Sch 10 S*	3.05	2.77	88.9	A	0.45
88.90	48.26	3"	1.1/2"	Sch 40 S STD*	5.49	3.68	88.9	A	0.78
88.90	48.26	3"	1.1/2"	Sch 80 S XS*	7.62	5.08	88.9	A	0.43
88.90	48.30				2.00	2.00	121.8	B	1.04
88.90	60.30				2.00	2.00	85.8	B	0.32

88.90	60.33	3"	2"	Sch 10 S*	3.05	2.77	88.9	A	0.48
88.90	60.33	3"	2"	Sch 40 S STD*	5.49	3.91	88.9	A	0.85
88.90	60.33	3"	2"	Sch 80 S XS*	7.62	5.54	88.9	A	1.13
88.90	60.33	3"	2"	Sch 160 *	11.13	8.71	88.9	A	0.16
88.90	73.03	3"	2.1/2"	Sch 10 S*	3.05	3.05	88.9	A	0.52
88.90	73.03	3"	2.1/2"	Sch 40 S STD*	5.49	5.16	88.9	A	0.93
88.90	73.03	3"	2.1/2"	Sch 80 S XS*	7.62	7.01	88.9	A	2.23
88.90	76.10				2.00	2.00	38.4	B	0.16
88.90	76.10				3.00	3.00	38.4	B	1.23
101.60	50.80				1.50	1.50	73.0	B/D	0.35
101.60	63.50				1.50	1.50	56.0	B/D	0.32
101.60	76.10				1.50	1.50	35.5	B/D	0.30
104.00	54.00				2.00	2.00	150.0	B	0.44
104.00	69.00				2.00	2.00	105.0	B	0.37
104.00	84.00				2.00	2.00	60.0	B	0.27
114.30	48.26	4"	1.1/2"	Sch 10 S*	3.05	2.77	101.6	A	0.63
114.30	48.26	4"	1.1/2"	Sch 40 S STD*	6.02	3.68	101.6	A	1.18
114.30	60.30				2.00	2.00	162.0	B	0.45
114.30	60.33	4"	2"	Sch 10 S*	3.05	2.77	101.6	A	0.67
114.30	60.33	4"	2"	Sch 40 S STD*	6.02	3.91	101.6	A	1.27
114.30	60.33	4"	2"	Sch 80 S XS*	8.56	5.54	101.6	A	1.76
114.30	73.03	4"	2.1/2"	Sch 10 S*	3.05	3.05	101.6	A	0.71
114.30	73.03	4"	2.1/2"	Sch 40 S STD*	6.02	5.16	101.6	A	1.37
114.30	76.10				2.00	2.00	114.6	B	0.55
114.30	76.10				3.00	3.00	114.6	B	0.90
114.30	88.90				2.00	2.00	76.2	B	0.39
114.30	88.90	4"	3"	Sch 10 S*	3.05	3.05	101.6	A	0.76
114.30	88.90	4"	3"	Sch 40 S STD*	6.02	5.49	101.6	A	1.45
114.30	88.90	4"	3"	Sch 80 S XS*	8.56	7.62	101.6	A	2.02
129.00	69.00				2.00	2.00	180.0	B	0.85
129.00	84.00				2.00	2.00	135.0	B	0.70
129.00	104.00				2.00	2.00	75.0	B	0.43
139.70	76.10				3.00	3.00	190.8	B	1.50
139.70	88.90				2.00	2.00	152.4	B	0.88
139.70	88.90				3.00	3.00	152.4	B	1.10
139.70	114.30				2.00	2.00	76.2	B	0.49
139.70	114.30				3.00	3.00	76.2	B	0.74
141.30	73.03	5"	2.1/2"	Sch 10 S*	3.40	3.05	127.0	A	2.00
141.30	88.90	5"	3"	Sch 10 S*	3.40	3.05	127.0	A	1.22
141.30	88.90	5"	3"	Sch 40 S STD*	6.55	5.49	127.0	A	2.27
141.30	114.30	5"	4"	Sch 10 S*	3.40	3.05	127.0	A	1.33
141.30	114.30	5"	4"	Sch 40 S STD*	6.55	6.02	127.0	A	2.50
154.00	84.00				2.00	2.00	210.0	B	1.22
154.00	104.00				2.00	2.00	150.0	B	0.95
154.00	129.00				2.00	2.00	75.0	B	0.52
168.28	88.90	6"	3"	Sch 10 S*	3.40	3.05	140.0	A	1.53
168.28	88.90	6"	3"	Sch 40 S STD*	7.11	5.49	140.0	A	3.04
168.28	88.90	6"	3"	Sch 80 S XS*	10.97	7.62	140.0	A	4.56
168.28	114.30	6"	4"	Sch 10 S*	3.40	3.05	140.0	A	1.65
168.28	114.30	6"	4"	Sch 40 S STD*	7.11	6.02	140.0	A	3.30
168.28	114.30	6"	4"	Sch 80 S XS*	10.97	8.56	140.0	A	4.96
168.28	141.30	6"	5"	Sch 10 S*	3.40	3.40	140.0	A	1.78
168.28	141.30	6"	5"	Sch 40 S STD*	7.11	6.55	140.0	A	3.57
168.30	88.90				2.00	2.00	238.2	B	1.00
168.30	114.30				2.00	2.00	162.0	B	1.16
168.30	114.30				3.00	3.00	162.0	B	1.70
168.30	139.70				2.00	2.00	85.8	B	0.84
168.30	139.70				3.00	3.00	85.8	B	1.00
204.00	104.00				2.00	2.00	300.0	B	2.28
204.00	129.00				2.00	2.00	225.0	B	1.85

204.00	154.00				2.00	2.00	150.0	B	1.33
219.08	114.30	8"	4"	Sch 10 S*	3.76	3.05	152.4	A	2.43
219.08	114.30	8"	4"	Sch 40 S STD*	8.18	6.02	152.4	A	5.10
219.08	141.30	8"	5"	Sch 10 S*	3.76	3.40	152.4	A	5.40
219.08	168.30	8"	6"	Sch 10 S*	3.76	3.40	152.4	A	2.72
219.08	168.30	8"	6"	Sch 40 S STD*	8.18	7.11	152.4	A	5.71
219.10	114.30				2.00	2.00	314.4	B	2.10
219.10	139.70				3.00	3.00	238.2	B	3.90
219.10	168.30				3.00	3.00	152.4	B	2.20
254.00	154.00				2.00	2.00	300.0	B	3.04
254.00	204.00				2.00	2.00	150.0	B	1.71
256.00	206.00				3.00	3.00	150.0	B	2.55
273.00	168.30				3.00	3.00	314.1	B	5.27
273.00	219.10				3.00	3.00	161.7	B	3.00
273.05	114.30	10"	4"	Sch 10 S*	4.19	3.05	177.8	A	3.80
273.05	168.28	10"	6"	Sch 10 S*	4.19	3.40	177.8	A	4.14
273.05	168.28	10"	6"	Sch 40 S STD*	9.27	7.11	177.8	A	8.78
273.05	219.08	10"	8"	Sch 10 S*	4.19	3.76	177.8	A	4.49
273.05	219.08	10"	8"	Sch 40 S STD*	9.27	8.18	177.8	A	9.58
304.00	204.00				2.00	2.00	300.0	B	5.00
304.00	254.00				2.00	2.00	150.0	B	4.80
306.00	206.00				3.00	3.00	300.0	B	5.70
323.85	168.28	12"	6"	Sch 10 S*	4.57	3.40	203.0	A	5.92
323.85	219.08	12"	8"	Sch 10 S*	4.57	3.76	203.0	A	6.31
323.85	219.08	12"	8"	Sch 40 S STD*	9.53	8.18	203.0	A	3.46
323.85	273.05	12"	10"	Sch 10 S*	4.52	4.19	203.2	A	12.70
323.85	273.05	12"	10"	Sch 40 S STD*	9.53	9.27	203.2	A	13.60
323.90	168.30				3.00	3.00	466.8	B	6.70
323.90	219.10				3.00	3.00	314.8	B	6.40
323.90	273.00				3.00	3.00	152.7	B	6.40
355.60	219.10				3.00	3.00	409.5	B	6.50
355.60	273.00				3.00	3.00	247.8	B	5.90
355.60	273.05	14"	10"	Sch 10 S*	4.78	4.19	330.2	A	12.10
355.60	323.90				3.00	3.00	95.1	B	2.40
355.60	323.85	14"	12"	Sch 10 S*	4.78	4.57	330.2	A	13.00
356.00	306.00				3.00	3.00	150.0	B	3.70
406.00	273.00				3.00	3.00	400.2	B	8.50
406.00	306.00				3.00	3.00	300.0	B	7.96
406.00	356.00				3.00	3.00	150.0	B	4.26
406.40	273.05	16"	10"	Sch 10 S*	4.78	4.19	355.6	A	14.4
406.40	323.85	16"	12"	Sch 10 S*	4.78	4.57	355.6	A	15.20
406.40	323.85	16"	12"	Sch 40 S STD*	9.53	9.53	355.6	A	29.60
406.40	355.60	16"	14"	Sch 10 S*	4.78	4.78	508.0	A	15.80
506.00	356.00				3.00	3.00	457.2	B	15.00
506.00	406.00				3.00	3.00	300.0	B	11.00