

CATALOG ȚEVI ROTUNDE INOX

Dimensiuni ale țevelor rotunde sudate/ fără sudură



X = posibilități de aprovizionare/ stoc

Dimensiuni				Greutate	304 (1.4301)	304 L (1.4306) (1.4307)	316L/ 316 Ti (1.4404 / 1.4571)	304 (L) (1.4306) (1.4307) (1.4301)	321 (H) (1.4541)	316L/ 316 Ti (1.4404 / 1.4571)
D mm	s mm	D inch	s inch/ sch	± kg/ m	sudate	sudate	sudate	trase	trase	trase
6,00	1,00			0,13	X		X	X		X
6,00	1,50			0,17						X
6,35	0,71	1/ 4"	.028"	0,10						X
6,35	0,91	1/ 4"	.036"	0,12				X		X
6,35	1,22	1/ 4"	.048"	0,16				X		X
6,35	1,63	1/ 4"	.064"	0,19					X	X
8,00	1,00			0,18	X		X	X	X	X
8,00	1,50			0,24				X	X	X
8,00	2,00			0,30				X		X
9,53	0,91	3/ 8"	.036"	0,20				X		X
9,53	1,22	3/ 8"	.048"	0,25				X	X	X
9,53	1,63	3/ 8"	.064"	0,32				X		X
10,00	1,00			0,23	X		X	X	X	X
10,00	1,50			0,32	X		X	X	X	X
10,00	2,00			0,40				X		X
10,20	2,00	1/ 8"	GAS	0,41				X		X
12,00	1,00			0,28	X		X	X	X	X
12,00	1,50			0,39	X	X	X	X	X	X
12,00	2,00			0,50				X	X	X
12,70	0,91	1/ 2"	.036"	0,27				X	X	X
12,70	1,22	1/ 2"	.048"	0,35				X		X
12,70	1,63	1/ 2"	.064"	0,45				X		X
12,70	2,00	1/ 2"	.079"	0,54						X
12,70	2,11	1/ 2"	.083"	0,54						X
13,00	1,00			0,30	X					
13,00	1,50			0,43	X			X		
13,72	1,65	1/ 4"	Sch 10 S	0,50				X		X
13,72	2,24	1/ 4"	Sch 40S STD	0,65		X	X	X		X
13,72	3,02	1/ 4"	Sch 80 S XS	0,81				X	X	X
14,00	1,00			0,33	X		X		X	X
14,00	1,50			0,47	X					X
14,00	2,00			0,60	X		X	X	X	X
14,00	3,00			0,83						X
15,00	1,00			0,35	X		X	X		X
15,00	1,50			0,51	X		X	X	X	X
15,00	2,00			0,65	X		X	X	X	X
15,88	1,63	5/ 8"	.064"	0,58				X		X
16,00	1,00			0,38	X		X	X		X
16,00	1,50			0,55	X		X	X		X
16,00	2,00			0,70	X		X	X	X	X
16,00	3,00			0,98				X	X	X
17,15	1,65	3/ 8"	Sch 10 S	0,64						X
17,15	2,31	3/ 8"	Sch 40S STD	0,86				X	X	X
17,15	3,20	3/ 8"	Sch 80 S XS	1,12				X	X	X
17,20	1,60			0,63	X	X	X			X

Dimensiuni ale țevilor rotunde sudate/ fără sudură



X = posibilități de aprovizionare/ stoc

Dimensiuni				Greutate ± kg/ m	304 (1.4301)	304 L (1.4306) (1.4307)	316L/ 316 Ti (1.4404 / 1.4571)	304 (L) (1.4306) (1.4307) (1.4301)	321 (H) (1.4541)	316L/ 316 Ti (1.4404 / 1.4571)
D mm	s mm	D inch	s inch/ sch		sudate	sudate	sudate	trase	trase	trase
17,20	2,00			0,76	X		X			
17,20	2,00	3/ 8"	GAS	0,87	X	X	X		X	
18,00	1,00			0,43	X		X	X		
18,00	1,50			0,62	X		X	X	X	X
18,00	2,00			0,80		X		X	X	X
18,00	2,50			0,97						X
18,00	4,00			1,40					X	X
19,00	1,25			0,56	X	X				
19,00	1,50			0,64	X		X			
19,05	0,91	3/ 4"	.036"	0,41						X
19,05	1,22	3/ 4"	.048"	0,54						X
19,05	1,63	3/ 4"	.064"	0,72						X
19,05	2,11	3/ 4"	.083"	0,89						X
19,05	2,11	3/ 4"	.109"	0,90						
20,00	1,00			0,48	X		X			X
20,00	1,50			0,70	X		X	X		X
20,00	2,00			0,90	X		X	X	X	X
20,00	2,50			1,10					X	X
20,00	3,00			1,28					X	X
21,30	1,60			0,79	X	X	X			X
21,30	2,00			0,97	X	X	X		X	X
21,30	2,60	1/ 2"	GAS	1,22	X	X	X		X	
21,34	2,11	1/ 2"	Sch 10 S	1,02		X	X	X		X
21,34	2,77	1/ 2"	Sch 40S STD	1,29		X	X	X	X	X
21,34	3,73	1/ 2"	Sch 80 S XS	1,65				X	X	X
21,34	4,78	1/ 2"	Sch 160	1,98				X	X	X
22,00	1,00			0,53	X			X		
22,00	1,50			0,77	X		X	X		X
22,00	2,00			1,00	X		X	X		X
23,00	1,50			0,80	X		X			X
25,00	1,00			0,60	X					
25,00	1,25			0,72	X					
25,00	1,50			0,88	X	X	X	X		X
25,00	2,00			1,15	X	X	X	X	X	X
25,00	2,50			1,41	X	X	X	X		X
25,00	3,00			1,65	X			X	X	X
25,00	4,00			2,10				X	X	X
25,40	1,25			0,76	X		X			
25,40	1,63	1"	.064"	0,97				X		X
25,40	1,65			0,88			X			
25,40	2,11	1"	.083"	1,23						
26,67	2,11	3/ 4"	Sch 10 S	1,30		X	X	X		X
26,67	2,87	3/ 4"	Sch 40S STD	1,71		X	X	X	X	X
26,67	3,91	3/ 4"	Sch 80 S XS	2,23				X	X	X
26,67	5,53	3/ 4"	Sch 160	2,93				X	X	X

Dimensiuni ale țevilor rotunde sudate/ fără sudură



X = posibilități de aprovizionare/ stoc

Dimensiuni				Greutate	304 (1.4301)	304 L (1.4306) (1.4307)	316L/ 316 Ti (1.4404 / 1.4571)	304 (L) (1.4306) (1.4307) (1.4301)	321 (H) (1.4541)	316L/ 316 Ti (1.4404 / 1.4571)
D mm	s mm	D inch	s inch/ sch	± kg/ m	sudate	sudate	sudate	trase	trase	trase
26,90	1,60			1,01	X	X	X			
26,90	2,00			1,25	X	X	X	X		X
26,90	2,60	3/ 4"	GAS	1,58	X	X	X			
28,00	1,00			0,67	X		X			X
28,00	1,50			1,00	X		X	X	X	X
28,00	2,00			1,30	X		X	X		X
28,00	2,50			1,60				X		X
28,00	3,00			1,88						X
30,00	1,00			0,73	X					
30,00	1,50			1,07	X		X			X
30,00	2,00			1,40	X	X	X	X	X	X
30,00	2,50			1,72	X		X	X		X
30,00	3,00			2,02	X			X		X
30,00	4,00			2,60				X		X
30,00	5,00			3,13				X		X
31,80	1,20			0,96	X					
32,00	1,50			1,15	X		X			
32,00	2,00			1,50	X		X			X
32,00	3,00			2,18				X		X
33,00	1,50			1,18	X					
33,40	2,77	1"	Sch 10 S	2,13		X	X	X	X	X
33,40	3,38	1"	Sch 40S STD	2,54		X	X	X	X	X
33,40	4,55	1"	Sch 80 S XS	3,29				X	X	X
33,40	6,35	1"	Sch 160	4,31				X	X	X
33,40	9,09	1"	XXS	5,54				X		X
33,70	1,60			1,29	X	X	X			
33,70	2,00			1,59	X	X	X			X
33,70	2,60			2,03	X	X	X	X	X	X
33,70	3,20	1"	GAS	2,44	X	X	X	X		X
34,00	1,00			0,83	X					
34,00	1,50			1,22	X		X			
35,00	1,50			1,26	X	X	X			X
35,00	2,00			1,65	X	X	X	X		X
35,00	2,50			2,03	X	X		X	X	
35,00	3,00			2,40	X					X
38,00	3,00			2,63				X		X
38,00	4,00			3,41				X		X
38,00	5,00			4,13					X	X
38,10	1,20			1,15	X					
38,10	1,25			1,15	X					
38,10	1,50			1,37	X	X	X			
38,10	2,00			1,80	X	X	X			
38,10	2,50			2,22	X	X	X			
38,10	3,00			2,63	X		X			

Dimensiuni ale țevilor rotunde sudate/ fără sudură



X = posibilități de aprovizionare/ stoc

Dimensiuni				Greutate	304 (1.4301)	304 L (1.4306) (1.4307)	316L/ 316 Ti (1.4404 / 1.4571)	304 (L) (1.4306) (1.4307) (1.4301)	321 (H) (1.4541)	316L/ 316 Ti (1.4404 / 1.4571)
D mm	s mm	D inch	s inch/ sch	± kg/ m	sudate	sudate	sudate	trase	trase	trase
40,00	1,00			0,98	X	X	X			
40,00	1,50			1,45	X	X	X			
40,00	2,00			1,90	X	X	X	X	X	
40,00	2,50			2,35	X					
40,00	3,00			2,78	X					
40,00	5,00			4,38						
42,00	3,00			2,93					X	X
42,16	2,77	1.1/ 4"	Sch 10 S	2,73		X	X	X		X
42,16	3,56	1.1/ 4"	Sch 40S STD	3,44		X	X	X	X	X
42,16	4,85	1.1/ 4"	Sch 80 S XS	4,53				X	X	X
42,16	6,35	1.1/ 4"	Sch 160	5,69				X	X	X
42,40	1,60			1,63	X	X	X			
42,40	2,00			2,02	X	X	X			X
42,40	2,60			2,59	X		X	X		X
42,40	3,20	1.1/ 4"	GAS	3,14	X		X			X
43,00	1,50			1,56	X					
44,50	1,50			1,62	X					
44,50	2,00			2,13	X	X	X			X
48,26	2,77	1.1/ 2"	Sch 10 S	3,15		X	X	X	X	X
48,26	3,68	1.1/ 2"	Sch 40S STD	4,12		X	X	X	X	X
48,26	5,08	1.1/ 2"	Sch 80 S XS	5,49				X	X	X
48,26	7,14	1.1/ 2"	Sch 160	7,35				X	X	X
48,30	1,60			1,87	X	X	X			
48,30	2,00			2,32	X	X	X			X
48,30	2,60			2,97	X	X	X	X	X	X
48,30	3,20	1.1/ 2"	GAS	3,61	X	X	X			
50,00	1,50			1,82	X					
50,00	2,00			2,40	X		X	X		X
50,00	5,00			5,63				X		X
50,80	1,50			1,85	X		X			
50,80	1,65			2,03			X			
50,80	2,00			2,44	X		X			
50,80	2,50			3,02	X	X	X			
50,80	3,00			3,59	X					
52,00	1,00			1,28	X					
52,00	1,50			1,90	X		X			
53,00	1,50			1,93	X		X			
54,00	2,00			2,60	X		X	X		X
57,00	1,50			2,08	X					
57,00	2,00			2,75	X		X	X	X	X
57,00	3,00			4,06	X		X			
60,00	5,00			6,89				X		X
60,30	1,60			2,35	X	X	X			
60,30	2,00			2,92	X	X	X	X		X

Dimensiuni ale țevilor rotunde sudate/ fără sudură



X = posibilități de aprovizionare/ stoc

Dimensiuni				Greutate	304 (1.4301)	304 L (1.4306) (1.4307)	316L/ 316 Ti (1.4404 / 1.4571)	304 (L) (1.4306) (1.4307) (1.4301)	321 (H) (1.4541)	316L/ 316 Ti (1.4404 / 1.4571)
D mm	s mm	D inch	s inch/ sch	± kg/ m	sudate	sudate	sudate	trase	trase	trase
60,30	2,60			3,76	X	X	X			X
60,30	3,00			4,30	X	X	X			
60,30	3,60	2"	GAS	5,11	X	X	X	X		X
60,33	1,65	2"	Sch 5 S	2,42		X	X			
60,33	2,77	2"	Sch 10 S	3,99		X	X	X	X	X
60,33	3,91	2"	Sch 40S STD	5,52		X	X	X	X	X
60,33	5,54	2"	Sch 80 S XS	7,60				X	X	X
60,33	8,74	2"	Sch 160	11,26				X	X	X
60,33	11,07	2"	XXS	13,65				X	X	X
63,50	1,50			2,33	X		X			
63,50	2,00			3,08	X		X			
63,50	2,60			3,97	X					X
70,00	2,00			3,40	X		X			X
70,00	3,00			5,03	X		X			
70,00	5,00			8,14				X		X
73,03	3,05	2.1/ 2"	Sch 10 S	5,34		X	X	X		X
73,03	5,16	2.1/ 2"	Sch 40S STD	8,77		X	X	X	X	X
73,03	7,01	2.1/ 2"	Sch 80 S XS	11,60				X		X
76,10	1,50			2,80	X		X			
76,10	2,00			3,71	X	X	X			
76,10	2,60			4,79	X		X			
76,10	3,00			5,49	X	X	X			
76,10	3,60	2.1/ 2"	GAS	6,53	X		X	X		X
80,00	2,00			3,90	X					X
80,00	5,00			9,39				X		X
83,00	1,50			3,06	X					
84,00	2,00			4,11	X	X	X			
85,00	2,00			4,16	X		X			
88,90	2,00			4,35	X	X	X			
88,90	2,11	3"	Sch 5 S	5,59		X	X			
88,90	3,00			6,45	X		X			
88,90	3,05	3"	Sch 10 S	6,56		X	X	X	X	X
88,90	3,20			6,87	X		X	X	X	
88,90	4,00	3"	GAS	8,50	X	X	X			
88,90	5,49	3"	Sch 40S STD	11,47		X	X	X	X	X
88,90	7,62	3"	Sch 80 S XS	15,52				X	X	X
88,90	11,10	3"	Sch 160	21,68				X	X	X
88,90	15,24	3"	XXS	29,52				X		X
101,60	1,50			3,76	X		X			
101,60	2,00			4,99	X	X	X			
101,60	3,00			7,41	X		X			
101,60	3,05	3.1/ 2"	Sch 10 S	7,53		X	X	X		X
101,60	3,60			8,83			X			
101,60	5,74	3.1/ 2"	Sch 40S STD	13,79		X	X	X	X	X

Dimensiuni ale țevilor rotunde sudate/ fără sudură



X = posibilități de aprovizionare/ stoc

Dimensiuni				Greutate	304 (1.4301)	304 L (1.4306) (1.4307)	316L/ 316 Ti (1.4404 / 1.4571)	304 (L) (1.4306) (1.4307) (1.4301)	321 (H) (1.4541)	316L/ 316 Ti (1.4404 / 1.4571)
D mm	s mm	D inch	s inch/ sch	± kg/ m	sudate	sudate	sudate	trase	trase	trase
101,60	8,08	3.1/ 2"	Sch 80 S XS	18,92				X		X
104,00	2,00			5,11	X	X	X			
106,00	3,00			7,74	X		X			
108,00	2,00			5,31	X		X			
108,00	3,00			7,88	X		X			
108,00	4,00			10,42	X		X	X		X
114,30	2,00			5,62	X	X				
114,30	2,11	4"	Sch 5 S	5,93		X				
114,30	3,00			8,36	X					
114,30	3,05	4"	Sch 10 S	8,49		X	X	X	X	X
114,30	3,60			9,98	X	X	X			X
114,30	4,00	4"	GAS	11,05	X	X	X			X
114,30	6,02	4"	Sch 40S STD	16,34		X	X	X	X	X
114,30	8,56	4"	Sch 80 S XS	22,70				X	X	X
114,30	13,49	4"	Sch 160	34,08				X	X	X
114,30	17,12	4"	XXS	41,66						X
129,00	2,00			6,30	X		X			
133,00	3,00			9,77	X		X			
133,00	4,00			12,92	X		X			X
139,70	2,00			6,90	X	X	X			
139,70	3,00			10,27	X	X	X			
139,70	4,00			13,59	X		X	X		X
141,30	3,40	5"	Sch 10 S	11,74		X	X	X	X	X
141,30	6,55	5"	Sch 40S STD	22,13		X	X	X	X	X
141,30	9,53	5"	Sch 80 S XS	31,44				X	X	X
141,30	15,88	5"	Sch 160	49,87				X		X
154,00	2,00			7,61	X		X			
156,00	3,00			11,49	X		X			
159,00	2,00			7,86	X		X			
159,00	3,00			11,72	X		X			
159,00	4,00			15,52	X		X			
168,28	2,77	6"	Sch 5 S	11,48		X	X			
168,28	3,40	6"	Sch 10 S	14,04		X	X	X	X	X
168,28	7,11	6"	Sch 40S STD	28,69		X	X	X	X	X
168,28	7,11	6"	Sch 40S STD	28,72		X	X	X	X	X
168,28	10,97	6"	Sch 80 S XS	43,25				X	X	X
168,28	18,26	6"	Sch 160	68,59				X		X
168,30	2,00			8,33	X	X	X			
168,30	3,00			12,42	X	X	X			
168,30	4,00			16,46	X		X			
168,30	5,00			20,44	X	X	X			X
204,00	2,00			10,12	X	X	X			
206,00	3,00			15,25	X		X			
208,00	4,00			20,43	X					
219,08	2,77	8"	Sch 5 S	15,00		X	X			

Dimensiuni ale țevilor rotunde sudate/ fără sudură



X = posibilități de aprovizionare/ stoc

Dimensiuni				Greutate	304 (1.4301)	304 L (1.4306) (1.4307)	316L/ 316 Ti (1.4404 / 1.4571)	304 (L) (1.4306) (1.4307) (1.4301)	321 (H) (1.4541)	316L/ 316 Ti (1.4404 / 1.4571)
D mm	s mm	D inch	s inch/ sch	± kg/ m	sudate	sudate	sudate	trase	trase	trase
219,08	3,76	8"	Sch 5 S	20,27		X	X	X		X
219,08	6,35	8"	Sch 10 S	33,57		X	X	X	X	X
219,08	8,18	8"	Sch 40S STD	43,20		X	X	X	X	X
219,08	12,70	8"	Sch 80 S XS	65,63		X		X	X	X
219,08	23,01	8"	Sch 160	112,97						X
219,10	2,00			10,87	X	X	X			
219,10	2,60			14,10			X			
219,10	3,00			16,23	X		X			
219,10	4,00			21,54	X		X			
254,00	2,00			12,62	X	X	X			
256,00	3,00			19,01	X		X			
273,00	2,00			13,57	X	X	X			
273,00	3,00			20,28	X	X	X			
273,05	4,19	10"	Sch 10 S	28,21		X	X	X		X
273,05	6,35	10"	Sch 20	42,41		X	X	X		X
273,05	9,27	10"	Sch 40S STD	61,23		X	X	X	X	X
273,05	12,70	10"	Sch 60/ Sch 80 XS	82,79		X		X		X
304,00	2,00			15,12	X		X			
306,00	3,00			22,76	X		X			
323,85	4,57	12"	Sch 10 S	36,54		X	X	X		X
323,85	6,35	12"	Sch 20	50,49		X	X			
323,85	9,53	12"	Sch 40S STD	75,00		X	X	X	X	X
323,85	12,70	12"	Sch 80 XS	98,95		X	X	X		X
323,90	2,00			16,12	X	X	X			
323,90	3,00			24,11	X		X			
355,60	4,78	14"	Sch 10 S	41,99		X	X		X	X
355,60	7,92	14"	Sch 20	68,95			X			X
355,60	9,53	14"	Sch 30 / 40S STD	82,83		X	X	X		X
356,00				26,60	X		X			
406,00	3,00			30,30	X	X	X			
406,40	4,00			40,26	X					
406,40	4,78	16"	Sch 10 S	48,07		X	X			
406,40	7,92	16"	Sch 20	79,03		X	X			
406,40	9,53	16"	Sch 40S STD	94,70		X	X	X		X
456,00	3,00			34,03	X		X			
457,20	4,78	18"	Sch 10 S	54,15		X	X			
506,00	3,00			37,80	X		X			
508,00	4,00			50,48	X		X			
508,00	5,56	20"	Sch 10 S	69,95		X	X			
508,00	9,53	20"	Sch 20/ 40S STD	118,95		X	X			
606,00	3,00			45,30	X		X			
609,60	6,35	24"	Sch 10/Sch 10S	95,49		X	X			
609,60	9,53	24"	Sch 20/Sch 20	143,20		X	X			
708,00	4,00			70,51			X			