



CATALOG COTURI INOX SUDATE 90° CONFORM EN

Coturi sudate 90°, conform EN 10204 3.1 3D / 5D / 1.5d / 1.5ID / ID+100 <i>Dimensiuni uzuale</i>				 COD: COTSS
D mm	S mm	Tip	R	Kg/buc.
13.50	1.60	1.5d	21.0	0.02
13.50	2.30	1.5d	21.0	0.02
15.00	1.50	1.5d	22.0	0.02
17.20	1.60	1.5d	28.0	0.03
17.20	2.00	3D	28.0	0.03
17.20	2.30	1.5d	28.0	0.04
18.00	1.50	1.5d	30.0	0.03
20.00	1.50	1.5d	30.0	0.03
20.00	2.00	1.5d	23.0	0.04
20.00	2.00	1.5d	30.0	0.04
21.30	1.60	3D	28.0	0.04
21.30	1.60	1.5d	38.0	0.04
21.30	2.00	3D	28.0	0.04
21.30	2.00	1.5d	31.8	0.04
21.30	2.00	1.5d	38.0	0.04
21.30	2.00	5D	45.0	0.07
21.30	2.60	3D	28.0	0.05
21.30	2.60	1.5d	38.0	0.05
25.00	1.50	1.5d	38.1	0.05
25.00	2.00	1.5d	33.0	0.06
25.00	2.00	1.5d	38.1	0.06
26.90	1.60	3D	29.0	0.04
26.90	2.00	3D	29.0	0.06
26.90	2.00	5D	57.0	0.11
26.90	2.60	3D	29.0	0.07
28.00	1.50	1.5d	31.8	0.05
28.00	1.50	1.5d	42.0	0.06
28.00	2.00	1.5d	31.8	0.06
28.00	2.00	1.5d	42.0	0.07
30.00	2.00	1.5d	38.0	0.06
30.00	2.00	1.5d	45.0	0.07
32.00	1.50	1.5d	48.0	0.09
32.00	2.00	1.5d	48.0	0.11
33.70	1.60	3D	38.0	0.08
33.70	2.00	3D	38.0	0.10
33.70	2.00	5D	72.0	0.18
33.70	2.60	3D	38.0	0.12
33.70	3.00	3D	38.0	0.12
33.70	3.20	3D	38.0	0.17
35.00	1.50	1.5d	52.5	0.10
35.00	2.00	1.5d	45.0	0.11
35.00	2.00	1.5d	52.5	0.14
38.10	1.50	1.5d	50.0	0.10

38.10	1.50	1.5d	57.0	0.12
38.00	2.00	1.5d	50.0	0.13
38.00	2.00	1.5d	57.0	0.16
40.00	1.50	1.5d	60.0	0.14
40.00	2.00	1.5d	60.0	0.18
42.40	1.60	3D	48.0	0.12
42.40	2.00	3D	48.0	0.15
42.40	2.00	5D	93.0	0.29
42.40	2.60	3D	48.0	0.19
42.40	3.00	3D	48.0	0.22
42.40	3.20	3D	48.0	0.24
44.50	2.00	1.5ID	60.0	0.19
48.30	1.60	3D	57.0	0.16
48.30	2.00	3D	57.0	0.21
48.30	2.00	5D	108.0	0.39
48.30	2.60	3D	57.0	0.27
48.30	3.00	3D	57.0	0.27
48.30	3.20	3D	57.0	0.32
50.00	1.50	1.5d	75.0	0.22
50.00	2.00	1.5d	75.0	0.28
50.80	1.50	1.5d	75.0	0.22
50.80	2.00	1.5d	75.0	0.28
53.00	1.50	1.5ID	75.0	0.16
54.00	2.00	1.5ID	68.5	0.20
54.00	2.00	1.5ID	75.0	0.21
57.00	2.00	1.5d	77.0	0.33
57.00	3.00	1.5d	77.0	0.49
60.30	1.60	3D	76.0	0.27
60.30	2.00	3D	76.0	0.35
60.30	2.00	5D	135.0	0.61
60.30	2.60	3D	76.0	0.45
60.30	3.00	3D	76.0	0.50
60.30	3.60	3D	76.0	0.61
63.50	1.50	1.5d	94.5	0.35
63.50	2.00	1.5d	94.5	0.46
70.00	2.00	1.5d	92.5	0.49
76.10	2.00	3D	95.0	0.55
76.10	2.00	5D	175.0	1.00
76.10	2.60	3D	95.0	0.71
76.10	3.00	3D	95.0	0.79
76.10	3.60	3D	95.0	0.99
84.00	2.00	1.5ID	120.0	0.77
89.90	2.00	3D	114.0	0.79
89.90	2.00	5D	205.0	1.20
89.90	2.60	3D	114.0	1.01
89.90	3.00	3D	114.0	1.17
89.90	4.00	3D	114.0	1.53
101.60	2.00	1.5d	133.0	1.04
101.60	3.00	1.5d	133.0	1.55
104.00	2.00	1.5ID	150.0	1.20
104.00	2.00	ID+100	200.0	1.60
106.00	3.00		150.0	
108.00	2.00	1.5d	142.0	1.18
108.00	3.00	1.5d	142.0	1.76
108.00	4.00	1.5d	142.0	
114.30	2.00	3D	152.0	1.35
114.30	2.00	5D	270.0	2.30
114.30	2.60	3D	152.0	1.75
114.30	3.00	3D	152.0	2.01
114.30	4.00	3D	152.0	2.65

129.00	2.00	1.5ID	188.0	1.90
139.70	2.00	3D	190.0	0.50
139.70	2.60	3D	190.0	2.68
139.70	3.00	3D	190.0	3.08
139.70	4.00	3D	190.0	4.08
154.00	2.00	1.5ID	225.0	2.70
154.00	2.00	ID+100	250.0	3.10
156.00	3.00	1.5ID	225.0	4.10
168.30	2.00	3D	229.0	3.00
168.30	2.60	3D	229.0	3.88
168.30	3.00	3D	229.0	4.47
168.30	4.00	3D	229.0	5.90
204.00	2.00	1.5ID	300.0	4.80
206.00	3.00	1.5ID	300.0	7.20
219.10	2.00	3D	305.0	5.21
219.10	2.60	3D	305.0	6.75
219.10	3.00	3D	305.0	7.78
254.00	2.00	ID+100	350.0	6.94
254.00	2.00	1.5ID	375.0	7.40
256.00	3.00	ID+100	350.0	10.45
256.00	3.00	1.5ID	375.0	11.00
273.00	2.00	3D	381.0	8.10
273.00	3.00	3D	381.0	12.14
304.00	2.00	ID+100	400.0	9.52
304.00	2.00	1.5ID	450.0	10.70
306.00	3.00	ID+100	400.0	14.30
306.00	3.00	1.5ID	450.0	16.50
323.90	2.00	3D	457.0	11.54
323.90	3.00	3D	457.0	17.30
355.60	3.00	3D	533.0	22.22
356.00	3.00	ID+100	450.0	18.74
406.40	3.00	ID+100	500.0	23.78
406.40	3.00	3D	610.0	29.04
456.00	3.00	ID+100	550.0	29.40
457.20	3.00	3D	686.0	36.76
506.00	3.00	ID+100	600.0	35.61
508.00	3.00	3D	762.0	45.40